


# EXCELSIOR

LANDSCAPE LIGHTING



excelsior™  
LIGHTING, INC. BY 

# SPECIFICATION GRADE LANDSCAPE FIXTURES

## INTERCHANGEABLE HOOD

- 7 options across 5 families
- Compression fit and threaded hood options



## MARINE GRADE MACHINED ALUMINUM

- .16" thick aluminum, double the thickness of many landscape lighting manufacturers
- 6061-T6 Copper Free

## SETSCREWS

- Set screw placement allows for easy access during maintenance and enhanced protection from moisture.



## LENSES / FILTERS

- Flood accent fixtures accept up to 3 lens or louver accessories
- Factory sealed clear tempered borosilicate glass lens.
- True flush lens bezel option eliminates moss and debris build up.



## 8 STANDARD FINISHES

- Anodized + Powdercoat allows for superior corrosion resistance and a 10 year warranty.



## HIGH TEMPERATURE MOLDED SILICONE WIRE PASS-THROUGH

- Prevents water leaking into lamp compartment

## TAPERED MACHINED KNUCKLES

- Infinitely adjustable vertical rotation
- Stainless Steel hardware
- Anodized locking jam nut standard or machined aluminum 360-degree adjustment accessory available
- Single sided locking knuckle



## FLOOD ACCENT

The Flood/Accent lights are for up lighting or down lighting applications. These fixtures can be utilized for ground mounted, tree mounted or surface mounted installations. Adjustable Glare shield options provide 360 degrees of drainage. Available in Aluminum and Brass options, and Integrated Modules or Lamped Versions.



## UP LIGHTS

Up lights are for Up Lighting or Down Lighting applications. These fixtures can be utilized for ground mounted, tree mounted or surface mounted installations.

All fixtures will work with any mount option. Mounts are sold separately.



## DOWN LIGHTS

Down lights can be utilized for general ambient lighting or accents and are typically mounted on pergolas, trees, or surface mounted applications.

Stainless steel cable is optional on Glare shield fixtures. All fixtures require remote transformer.



## IN GROUND

Excelsior Lighting offers several options for direct burial/well light landscape lighting. These fixtures are for up lighting applications and offer hot aiming and adjustable optics.

All 12V fixture require a remote transformer. Higher voltage fixtures are equipped with an internal driver.



## PATH / AREA

Excelsior Lighting offers several options in path lighting. Path lights can be used for path, garden or area lighting applications.

Lamps and mounts are sold separately unless otherwise noted. 12V fixtures require a remote transformer.



## STEP

Excelsior Lighting offers step lights for surface, recessed J-Box or Core Drilled options. We often craft modifications to our standards to match special site conditions or job requirements.

Lamps and are sold separately unless otherwise noted. 12V fixtures require a remote transformer.



## WALL MOUNTED

Wall mounted fixtures are for wall lighting applications. These fixtures are available in single or dual styles with three mounting plate options.

All 12V fixture require a remote transformer.



## SIGN LIGHTS

The SI series fixtures are for sign lighting applications. These fixtures are available in single or dual styles with various mounting plate options and several stem lengths available.

All 12V fixture require a remote transformer.



## LANDSCAPE POWER

QTL's award-winning Q-SCAPE direct burial power supply system offers all the components needed to illuminate Excelsior fixtures. Q-SET and Q-HEX power supplies are fully potted for additional environmental protection and designed to work with our IP68 rated Q-VAULT-5 and Q-TRIX enclosures.



## SPECIALTY MOUNTS

Triple Stainless-steel stakes are painted to match the fixture they are paired with.

Tree mount options were designed in collaboration with top landscape lighting professionals to protect tree health.



©2024 Excelsior Lighting, Inc. | All Rights Reserved | [www.excelsiorlighting.com](http://www.excelsiorlighting.com)  
2507 N Bundy Drive Fresno, CA 93727 | T: (559) 346 1051 | F: (559) 346 1071